

Tomatoes

SALSA

TOMATILLO

- * Approximate Harvest Time Late July
- * Width 1.5 Inches
- * Length
- * Weight 2 Ounces

Disease Tolerance:

- A Favorite in Mexican Cuisine for making salsa.
This Determinate tomato will grow to a fixed mature size and ripen it's fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended.
Despite their compact size, staking or caging is still recommended.



 **Sun Lover**
6 Hrs of Sun Minimum

SLICING

ACE

TOMATO

- * Approximate Harvest Time Mid August
- * Width 5-6 Inches
- * Length 4-5 Inches
- * Weight 10-12 Ounces

Disease Tolerance:

Verticillium, Fusarium Wilt Race 1, Nematodes

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost.
This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

SLICING

BEEFSTEAK

TOMATO

- * Approximate Harvest Time Mid August
- * Width 6-8 Inches
- * Length 5-6 Inches
- * Weight 14-18 Ounces

Disease Tolerance:

Fusarium Wilt Race 1, Nematodes, Verticillium

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost.
This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

SLICING

BETTER BOY

TOMATO

- * Approximate Harvest Time Early August
- * Width 3-4 Inches
- * Length 4-5 Inches
- * Weight 8-10 Ounces

Disease Tolerance:

Verticillium, Fusarium Wilt Race 1, Nematodes

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost.
This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

SLICING

BIG BEEF

TOMATO

- * Approximate Harvest Time Early August
- * Width 3-4 Inches
- * Length 3 Inches
- * Weight 10-12 Ounces

Disease Tolerance:

Verticillium, Fusarium Wilt Race 1, Nematodes, Fusarium Wilt Race 2, Tobacco Mosaic Virus, Alternaria, Stemphylium

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost.
This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

SLICING

BIG BOY

TOMATO

- * Approximate Harvest Time Early August
- * Width 5-6 Inches
- * Length 4-5 Inches
- * Weight 16 Ounces

Disease Tolerance:

Crack Resistant

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost.
This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

CHERRY

BLACK CHERRY

TOMATO

- * Approximate Harvest Time Mid July
- * Width .5-1 Inches
- * Length .5-1 Inches
- * Weight .5-1 Ounces

Disease Tolerance:

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost.
This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

CANNING

BONNY BEST

TOMATO

- * Approximate Harvest Time Early August
- * Width 3-4 Inches
- * Length 3 Inches
- * Weight 8-10 Ounces

Disease Tolerance:

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost.
This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

Tomatoes

HEIRLOOM BRANDYWINE TOMATO

- * Approximate Harvest Time Mid August
- * Width 3-4 Inches
- * Length 3 Inches
- * Weight 1 Pound



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
None

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

PATIO BUSH EARLY GIRL TOMATO

- * Approximate Harvest Time Mid July
- * Width 3 Inches
- * Length 2-3 Inches
- * Weight 6.5-7.5 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
Fusarium Wilt Race 1, Fusarium Wilt Race 2, Nematodes, Tobacco Mosaic Virus, Verticillium

This Determinate tomato will grow to a fixed mature size and ripen its fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.

SLICING CAMPBELL 1327 TOMATO

- * Approximate Harvest Time Mid August
- * Width 2-3 Inches
- * Length 2 Inches
- * Weight 7 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:

Verticillium, Fusarium Wilt Race 1, Crack Resistant

This Determinate tomato will grow to a fixed mature size and ripen its fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.

SLICING CELEBRITY TOMATO

- * Approximate Harvest Time Early August
- * Width 3 Inches
- * Length 2-3 Inches
- * Weight 8 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:

Fusarium Wilt Race 1, Fusarium Wilt Race 2, Nematodes, Tobacco Mosaic Virus, Verticillium

This Determinate tomato will grow to a fixed mature size and ripen its fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.

EARLY CHAMPION TOMATO

- * Approximate Harvest Time Mid July
- * Width 3-4 Inches
- * Length 3 Inches
- * Weight 10 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:

Fusarium Wilt Race 1, Nematodes, Tobacco Mosaic Virus, Verticillium

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

EARLY EARLY GIRL TOMATO

- * Approximate Harvest Time Mid July
- * Width 3 Inches
- * Length 2-3 Inches
- * Weight 4-6 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:

Fusarium Wilt Race 1, Fusarium Wilt Race 2, Verticillium

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

SLICING FANTASTIC TOMATO

- * Approximate Harvest Time Early August
- * Width 3 Inches
- * Length 2-3 Inches
- * Weight 6-7 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:

Crack Resistant

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

EARLY FOURTH OF JULY TOMATO

- * Approximate Harvest Time Early July
- * Width 2.5 Inches
- * Length 2 Inches
- * Weight 4 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:

This Determinate tomato will grow to a fixed mature size and ripen its fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.

Tomatoes

PATIO GOLIATH BUSH TOMATO

- * Approximate Harvest Time Early August
- * Width 3-4 Inches
- * Length 2-3 Inches
- * Weight 10-15 Ounces

Disease Tolerance:

Verticillium, Fusarium Wilt Race 1, Nematodes

This Determinate tomato will grow to a fixed mature size and ripen it's fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.




SALAD HEALTH KICK TOMATO

- * Approximate Harvest Time Early August
- * Width 1.5 Inches
- * Length 2-2.5 Inches
- * Weight 4 Ounces

Disease Tolerance:

Fusarium Wilt Race 1, Nematodes, Verticillium

* Approximately 50% more cancer-fighting lycopene than standard tomatoes. This Determinate tomato will grow to a fixed mature size and ripen it's fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.



There is 50% more lycopene in this variety compared to common tomatoes. Studies indicate that the consumption of lycopene may help to prevent certain types of cancers in the upper respiratory and digestive tracts, as well as protecting against prostate cancer. So if you can now grow a tomato with more lycopene, doesn't it just make good sense?

MID-SEASON HEARTLAND TOMATO

- * Approximate Harvest Time 68
- * Width 3 Inches
- * Length 2-3 Inches
- * Weight 6-8 Ounces

Disease Tolerance:

Fusarium Wilt Race 1, Verticillium, Nematodes

This Determinate tomato will grow to a fixed mature size and ripen it's fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.



CANNING HEINZ 1439 TOMATO

- * Approximate Harvest Time 72
- * Width 3 Inches
- * Length 2-3 Inches
- * Weight 8 Ounces

Disease Tolerance:

Verticillium, Fusarium Wilt Race 1

Indeterminate tomatoes are actually vines that continue growing in length throughout the growing season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require substantial staking or caging to support what can become a large heavy plant.



HEIRLOOM ITALIAN GIANT TOMATO

- * Approximate Harvest Time Mid August
- * Width
- * Length
- * Weight 16 Ounces

Disease Tolerance:

None

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.




JET SET TOMATO

- * Approximate Harvest Time 72
- * Width
- * Length
- * Weight

Disease Tolerance:

Verticillium, Fusarium Wilt Race 1

PLANT ROWS 36-48" APART.



LARGE GRAPE JULIET TOMATO

- * Approximate Harvest Time Mid July
- * Width .5-1 Inches
- * Length 1.5 Inches
- * Weight 1-2 Ounces

Disease Tolerance:

Crack Resistant

Indeterminate tomatoes are actually vines that continue growing in length throughout the growing season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require substantial staking or caging to support what can become a large heavy plant.



PASTE LA ROMA TOMATO

- * Approximate Harvest Time Mid July
- * Width 2 Inches
- * Length 3 Inches
- * Weight 4-6 Ounces

Disease Tolerance:

Fusarium Wilt Race 1, Verticillium, Fusarium Wilt Race 2

This Determinate tomato will grow to a fixed mature size and ripen it's fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.



Tomatoes

PEAR LARGE PLUM SAN TOMATO

- * Approximate Harvest Time Mid August
- * Width 2 Inches
- * Length 3 Inches
- * Weight 6-8 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
Alternaria, Fusarium Wilt Race 1, Verticillium

This Determinate tomato will grow to a fixed mature size and ripen its fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.

EARLY LEGEND TOMATO

- * Approximate Harvest Time Mid July
- * Width 3 Inches
- * Length 2-3 Inches
- * Weight 4-6 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
Fusarium Wilt Race 1, Fusarium Wilt Race 2, Verticillium

Plant produces good yields of 8 oz glossy red tomatoes. The tomatoes are very flavorful and do well in cool weather and hotter than normal weather. It has strong resistance to late blight fungus which is a major problem with a lot of home gardeners.

LOW ACID LEMON BOY TOMATO

- * Approximate Harvest Time Early August
- * Width 3.5 Inches
- * Length 2 Inches
- * Weight 7 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
Fusarium Wilt Race 1, Verticillium, Nematodes

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

HEIRLOOM MOONGLOW TOMATO

- * Approximate Harvest Time Mid August
- * Width
- * Length
- * Weight 3-4 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
None

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

SLICING MOUNTAIN PRIDE TOMATO

- * Approximate Harvest Time Mid August
- * Width 3-4 Inches
- * Length 3 Inches
- * Weight 8 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
Verticillium, Fusarium Wilt Race 1, Fusarium Wilt Race 2, Alternaria, Stemphylium, Crack Resistant

This Determinate tomato will grow to a fixed mature size and ripen its fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.

HEIRLOOM OLD GERMAN TOMATO

- * Approximate Harvest Time Mid August
- * Width
- * Length
- * Weight 1-2 Pounds



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
None

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

HEIRLOOM PINEAPPLE TOMATO

- * Approximate Harvest Time Mid August
- * Width 5 Inches
- * Length 5 Inches
- * Weight



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
None

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

SLICING PINK GIRL TOMATO

- * Approximate Harvest Time Early August
- * Width 3.5 Inches
- * Length 2 Inches
- * Weight 8 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
Crack Resistant

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

Tomatoes

PASTE

POLISH LINGUISA TOMATO

- * Approximate Harvest Time Mid August
- * Width 2-3 Inches
- * Length 5 Inches
- * Weight 8-10 Ounces

Disease Tolerance:
None

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

CHERRY

RED CHERRY LARGE TOMATO

- * Approximate Harvest Time Early August
- * Width .5-1 Inches
- * Length .5-1 Inches
- * Weight .5-1 Ounces

Disease Tolerance:

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

HEIRLOOM RED STAR TOMATO

- * Approximate Harvest Time Mid August
- * Width 1 Inch
- * Length 1 Inch
- * Weight 3 Ounces

Disease Tolerance:
None

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

SLICING RUTGERS TOMATO

- * Approximate Harvest Time Mid August
- * Width 2-3 Inches
- * Length 2 Inches
- * Weight 7 Ounces

Disease Tolerance:

Alternaria, Fusarium Wilt Race 1, Verticillium, Crack Resistant

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

GRAPE SANTA TOMATO

- * Approximate Harvest Time Mid July
- * Width .75 Inches
- * Length .5 Inches
- * Weight .5 Ounces

Disease Tolerance:

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

CHERRY SUNGOLD TOMATO

- * Approximate Harvest Time Mid July
- * Width .5 Inches
- * Length 1 Inch
- * Weight .5 Ounces

Disease Tolerance:

This Determinate tomato will grow to a fixed mature size and ripen it's fruit in a short period. Pruning and removing suckers from determinate tomatoes is not recommended. Despite their compact size, staking or caging is still recommended.



 **Sun Lover**
6 Hrs of Sun Minimum

SLICING SUPERSONIC TOMATO

- * Approximate Harvest Time Mid August
- * Width 2-3 Inches
- * Length 2 Inches
- * Weight 6-8 Ounces

Disease Tolerance:
Verticillium, Fusarium Wilt Race 1

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

CHERRY SWEET 100 TOMATO

- * Approximate Harvest Time Early August
- * Width .5 Inches
- * Length .5 Inches
- * Weight .5 Ounces

Disease Tolerance:
Fusarium Wilt Race 1, Verticillium

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.



 **Sun Lover**
6 Hrs of Sun Minimum

Tomatoes

CHERRY SWEET BABY GIRL TOMATO

- * Approximate Harvest Time Early August
- * Width .5 Inches
- * Length .5 Inches
- * Weight .75 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
Verticillium

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

CHERRY TOMACCIO TOMATO

- * Approximate Harvest Time Mid July
- * Width .5-1 Inches
- * Length .5-1 Inches
- * Weight .5-1 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

CHERRY TUMBLER TOMATO

- * Approximate Harvest Time 49
- * Width 1.25 Inches
- * Length 1.25 Inches
- * Weight



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:

EXTRA EARLY, CASCADING VARIETY FOR BASKETS AND CONTAINERS.
PRODUCES UP TO 6 LBS.

LOW ACID YELLOW PEAR TOMATO

- * Approximate Harvest Time Mid August
- * Width 1 Inch
- * Length 2 Inches
- * Weight 1-2 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
Alternaria

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.

LOW ACID YELLOW STUFFER TOMATO

- * Approximate Harvest Time Mid August
- * Width 2-3 Inches
- * Length 2 Inches
- * Weight 5-7 Ounces



  **Sun Lover**
6 Hrs of Sun Minimum

Disease Tolerance:
Verticillium, Fusarium Wilt Race 1, Nematodes, Alternaria

This indeterminate tomato is actually a vine that will continue to grow in length throughout the season. This variety will also continue to set and ripen fruit until killed off by frost. This tomato plant will require staking or caging.